IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

:

Kanji HATA et al.

Serial No. NEW

Attn: Application Branch

Filed February 22, 2002

Attorney Docket No. 2002_0244

COMPONENT MOUNTING APPARATUS AND METHOD (Rule 1.53(b) Continuation-in-Part of Serial No. 09/010,490, Filed January 21, 1998)

THE COMMISSIONER IS AUTHORIZED TO CHARGE ANY DEFICIENCY IN THE FEES FOR THIS PAPER TO DEPOSIT ACCOUNT NO. 23-0975

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents, Washington, DC 20231

Sir:

Kindly amend the above-identified application as follows:

IN THE SPECIFICATION

Please replace the paragraph [0001], with the following rewritten paragraph:

This application is a continuation-in-part of co-pending application Serial No. 09/010,490, filed January 21, 1998, which is a continuation of Serial No. 08/740,992, filed November 5, 1996, now Patent No. 5,778,525.

REMARKS

The present Preliminary Amendment is submitted to complete the reference to the parent application on page 1 of the specification.

A copy of the amended portion of the specification with changes marked therein is attached and entitled "Version with Markings to Show Changes Made."

Note a petition for a two month extension of time has been filed in the parent application No. 09/010,490 to maintain co-pendency with the present CIP application.

Respectfully submitted,

Kanji HATA et al.

Michael S. Huppert

Registration No. 40,268

Attorney for Applicants

MSH/kjf Washington, D.C. 20006-1021 Telephone (202) 721-8200 Facsimile (202) 721-8250 February 22, 2002

Version with Markings to Show Changes Made

Version sto
Show Change on a de

1

COMPONENT MOUNTING APPARATUS AND METHOD

CROSS REFERENCE OF RELATEING APPLICATIONS

[0001] This application is a continuation-in-part of copending application serial number 09/010,490, filed January 21, 1998, Which is a continuation of Senal No. 08/740,492, filed November 5, 1986, now Patent No. 5,778,525,

BACKGROUND OF THE INVENTION

[0002] The present invention relates to component mounting apparatus and method for automatically mounting a variety of components such as electronic components onto a printed circuit board or the like, and a component mounting equipment including the apparatuses.

Generally, in an electronic component mounting apparatus, a number of component supply means are mounted in parallel to one another on a component supply table. In a component mounting stage, the component supply means are successively positioned in a specified component supply position according to a sequence of mounting components